

PRODUCT DESCRIPTION

- Designed to reach an IP65 waterproof rating
- Can create a line of light
- After mounting aluminum flanges are concealed

FINISH:

Non anodized (raw)



*Custom colors available upon request



Fill empty fields

Product nr.

Fixture type

Company

lob name

Date

TECHNICAL SPECIFICATION

Application

- for creating lines of light flush with the surface of walls and ceilings

Mounting

- fixed in the groove with fixing glue
- profile fastening wings covered with gypsum plaster
- the PROTECTIVE INSERT TECH-22 ensures that the profile slot remains wide enough for the snap-in cover (its use is NECESSARY during mounting and finishing works)

Additional information


- possibility of making a linear fixture with IP65 protection, which means the fixture is dustproof and waterproof in contact with water jets
- achieving IP65 is possible with the following covers: LIGER-22, MUN-22 and HS-22
- a TECH-22 protective insert that protects the inside of the profile during mounting is available
- space for LED strip: 24.2 mm

AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
B6454NA_1	Non anodized (raw)	1000 mm
B6454NA_2	Non anodized (raw)	2000 mm
B6454NA_3	Non anodized (raw)	3000 mm



TECHNICAL DRAWING





RELATED PRODUCTS

COVERS

BLACK COVERS



LIGER-22 black Cover Ref: 17087 **80°**



CLEAR COVERS



G-L clear Cover Ref: 17006



HS-22 clear Cover HS-22 cicc. Ref: 17022 **70°**



FROSTED COVERS



LIGER-22 frosted Cover Ref: 17032V1 110°



Ref: 17011 100°



Ref: 17007



G-K frosted Cover G-L frosted Cover Ref: 00413





SEMI-TRANSPARENT COVERS





MUN-22 semitransparent Cover Ref: 17042



transparent Cover transparent Cover Ref: 00415



Ref: 17008



END CAPS

REGULAR END CAPS



KOZEL grey End cap Ref: 24034

ACCESSORIES

COMPONENTS FOR CONNECTING PROFILES



T135L LIPOD Coupler Ref: _



ZM-NA-180 Connector Ref: 42724



ZM-NA-PION-60 Connector Ref: 42317



ZM-NA-PION-120 Connector Ref: 42321



ZM-NA-45 Connector Ref: 42339



ZM-NA-PION-90 Connector Ref: 42726



ZM-NA-PION-135 Connector Ref: 42727



L90 LIPOD Coupler Ref: _





L90PZ LIPOD Coupler Ref: _



L135PW LIPOD Coupler Ref: _



ZM-NA-135 Connector Ref: 42725



L90PW LIPOD Coupler Ref: _



ZM-NA-120 Connector Ref: 42729



ZM-NA-90 Connector Ref: 42723



L135 LIPOD Coupler Ref: _



L135PZ LIPOD Coupler Ref: _



ZM-NA-PION-45 Connector Ref: 42315

SEALING COMPONENTS



6.4 x 3.0 Gland Ref: 42264

ADDITIONAL ITEMS



TECH-22 protective insert Ref: 17124



MP-22 white Masking cover Ref: 17167L9010



MP-22 Masking cover black Ref: 17167L9005




MP-22 metallized Masking cover Ref: 17167

LED TAPES

WHITE







Ref: WP-K-1220-24V

Taśma LED WP-K-1910-HD-IP65-24V Ref: WP-K-1910-HD-IP65-24V



Ref: WP-K-1275-12V

LED strip WP-K-1220-IP65-12V Ref: WP-K-1220-IP65-12V



Ref: WP-K-1275-24V

Ref: WP-K-1820-

HD-24V

LED strip WP-K-1220-IP65-24V Ref: WP-K-1220-IP65-24V

LONG RUN



LED strip K-LR-1000-24V Ref: K-LR-1000-24V



RGB / RGB-W



LED strip K-1275-RGB-12V Ref: K-1275-RGB-12V



LED strip K-1275-RGB-24V Ref: K-1275-RGB-24V



LED strip K-1920-RGB+W-24V 19.2W/m Ref: K-1920-RGB+W-24V



LED strip WP-K-1275-RGB-12V Ref: WP-K-1275-RGB-12V



LED strip WP-K-1275-RGB-24V Ref: WP-K-1275-RGB-24V



LED strip WP-K-1920-RGB+W-24V Ref: WP-K-1920-RGB+W-24V



LED strip K-1530-RGB+W-24V Ref: K-1530-RGB+W-24V



LED strip WP-K-1530-RGB+W-24V Ref: WP-K-1530-RGB+W-24V



LED strip K-1215-RGB-12V Ref: K-1215-RGB-12V



LED strip K-1215-RGB-24V Ref: K-1215-RGB-24V



LED strip K-1225-RGB-12V Ref: K-1225-RGB-12V



LED strip K-1225-RGB-24V Ref: K-1225-RGB-24V



LED strip WP-K-1215-RGB-12V Ref: WP-K-1215-RGB-12V



LED strip WP-K-1215-RGB-24V Ref: WP-K-1215-RGB-24V



LED strip WP-K-1225-RGB-12V Ref: WP-K-1225-RGB-12V



LED strip WP-K-1225-RGB-24V Ref: WP-K-1225-RGB-24V



LED strip K-1920-120-RGB-24V 19.2W/m Ref: K-1920-120-RGB-24V



LED strip WP-K-1920-120-RGB-24V Ref: WP-K-1920-120-RGB-24V

TUNABLE WHITE / DIM TO WARM





LED strip K-27/65-1920-24V Ref: K-27/65-1920-24V



LED strip WP-K-27/65-1920-24V Ref: WP-K-27/65-1920-24V



LED strip K-22/50-1728-24V Ref: K-22/50-1728-24V



LED strip K-30/18-1770-24V Ref: K-30/18-1770-24V



LED strip WP-K-22/50-1728-24V Ref: WP-K-22/50-1728-24V



LED strip WP-K-30/18-1770-24V Ref: WP-K-3018-1770-24V

MARKETING MATERIALS



Presentation set 2 Display Ref: 90052 P230-90



P230-90154M Ref: 90154M



Display P230-90175M Ref: 90175M



Foam 70424 Ref: 70424