


PRODUCT DESCRIPTION

- Designed to reach an IP67 waterproof rating
- Narrow line of light
- Profile flush with the ceiling or wall surface
- Invisible aluminum components

FINISH :

Non anodized (raw) 

*Custom colors available upon request



Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

TECHNICAL SPECIFICATION

Application

- for a fixture with the line-of-light effect, flush with the ceiling surface, without visible aluminum elements

Mounting

- for mounting in a cardboard-gypsum board using fixing glues, then meshed and finished with plaster
 - the protective insert TECH-KA ensures that the profile slot remains wide enough for the snap-in cover. Its use is necessary during mounting and finishing works.

Additional information

- possibility of making a linear fixture with IP67 protection, which means the fixture is dustproof and waterproof
 - equipped with an additional TECH-KA protective insert, which protects essential elements against soiling during mounting
 - space for LED strip: 13.4 mm

Line of light

✓ = Line of Light
 X = Visible dotting


Profile:	LED Model:	HS/HS-12/HS-22 black	Liger/Liger-22 black	Liger/Liger-22 black	KA frosted	KA-PRO frosted
KOZMA						

	1210	X	X	X	X	X
	1220	X	X	X	X	X
	1275	X	✓	X	X	X
	0530	✓	✓	✓	X	✓
	1910	✓	✓	✓	X	✓
	1820	✓	✓	✓	X	✓

AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
18040NA_1	Non anodized (raw)	1000 mm
18040NA_2	Non anodized (raw)	2000 mm
18040NA_3	Non anodized (raw)	3000 mm


TECHNICAL DRAWING



RELATED PRODUCTS

COVERS

BLACK COVERS




LIGER black Cover

Ref: 17040

90°




CLEAR COVERS



KA clear Cover

Ref: 17036


60°



HS clear Cover

Ref: 1370


50°



KA-COM clear Cover

Ref: 17122

70°




KA-PRO clear Cover

Ref: 17065

50°




FROSTED COVERS



KA frosted Cover

Ref: 17035


90°



KA-PRO frosted Cover

Ref: 17064


100°



HS frosted Cover

Ref: 1369

100°



KA-COM frosted Cover

Ref: 17121

100°





LIGER frosted Cover


Ref: 17037

120°



END CAPS

REGULAR END CAPS




KOZMA grey End cap

cap

Ref: 24217

ACCESSORIES


COMPONENTS FOR CONNECTING PROFILES



ZM-NA-90

Connector


Ref: 42723



ZM-NA-120

Connector


Ref: 42729



ZM-NA-135

Connector

Ref: 42725



ZM-NA-180

Connector

Ref: 42724



ZM-NA-PION-135

Connector


Ref: 42727



ZM-NA-PION-90

Connector


Ref: 42726



ZM-NA-45

Connector


Ref: 42339



ZM-NA-PION-120

Connector

Ref: 42321



ZM-NA-PION-60
Connector
Ref: 42317




ZM-NA-PION-45
Connector
Ref: 42315

SEALING COMPONENTS




6 x 1.2 Gland
Ref: 00802




TECH-KA
protective insert
Ref: 17123

LED TAPES

WHITE




LED strip K-1210-12V
Ref: K-1210-12V




LED strip
K-1210-24V
Ref: K-1210-24V




LED strip
K-1220-12V
Ref: K-1220-12V




LED strip K-1220-24V
Ref: K-1220-24V




LED strip K-1275-12V
Ref: K-1275-12V




LED strip
K-1275-24V
Ref: K-1275-24V



LED strip K-1820-
HD-24V
Ref: K-1820-
HD-24V




LED strip K-1910-
HD-24V
Ref: K-1910-HD-24V



LED strip WP-K-1640-HD-IP65-24V
Ref: WP-K-1640-HD-IP65-24V




LED strip WP-K-1210-12V
Ref: WP-K-1210-12V




LED strip WP-K-1210-24V
Ref: WP-K-1210-24V



Taśma LED WP-K-1220-12V
Ref: WP-K-1220-12V




LED strip LED WP-K-1220-24V
Ref: WP-K-1220-24V




LED strip WP-K-1275-12V
Ref: WP-K-1275-12V




LED strip WP-K-1275-24V
Ref: WP-K-1275-24V



Taśma LED WP-K-1910-HD-IP65-24V
Ref: WP-K-1910-HD-IP65-24V




LED strip WP-K-1220-IP65-12V
Ref: WP-K-1220-IP65-12V




LED strip WP-K-1220-IP65-24V
Ref: WP-K-1220-IP65-24V

LONG RUN




LED strip K-LR-1000-24V
Ref: K-LR-1000-24V


RGB / RGB-W




LED strip K-1275-RGB-24V
Ref: K-1275-RGB-24V




LED strip WP-K-1275-RGB-12V
Ref: WP-K-1275-RGB-12V




LED strip K-1530-RGB+W-24V
Ref: K-1530-RGB+W-24V




LED strip K-1215-RGB-12V
Ref: K-1215-RGB-12V




LED strip K-1215-
RGB-24V
Ref: K-1215-RGB-24V




LED strip K-1225-
RGB-12V
Ref: K-1225-
RGB-12V



LED strip K-1225-
RGB-24V
Ref: K-1225-
RGB-24V




LED strip
K-1920-120-RGB-24V
19.2W/m
Ref: K-1920-120-
RGB-24V



LED strip WP-
K-1920-120-RGB-24V
Ref: WP-K-1920-120-
RGB-24V


TUNABLE WHITE / DIM TO WARM




LED strip
K-27/65-1920-24V
Ref:
K-27/65-1920-24V



LED strip WP-
K-27/65-1920-24V
Ref: WP-
K-27/65-1920-24V



LED strip
K-22/50-1728-24V
Ref:
K-22/50-1728-24V



LED strip
K-30/18-1770-24V
Ref:
K-30/18-1770-24V

MARKETING MATERIALS




Presentation set 6
Ref: 90125



Display
P230-90154M
Ref: 90154M



Display
P230-90175M
Ref: 90175M



Foam 70424
Ref: 70424