

PRODUCT DESCRIPTION

- Designed to reach an IP65 waterproof rating
- Ability to create a line of light
- Concealed aluminum components
- Can be mounted in 16 mm thick drywall

FINISH :

Non anodized (raw)

*Custom colors available upon request

Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

TECHNICAL SPECIFICATION

Application

- create a line of light in walls and ceilings
- intended for 16mm thick drywall

Mounting

- fixed in the gap using mounting adhesive
- extrusion wings covered with gypsum plaster
- The <u>TECH-22 Protective insert</u> ensures that the profile slot remains wide enough for the snap-in cover (its use is NECESSARY during mounting and finishing works)

Additional information

- possibility of making a linear fixture with IP65 protection, which means the fixture is dustproof and waterproof in contact with water jets

- achieving IP65 is possible with the following covers: LIGER-22, MUN-22 and HS-22 $\,$
- a TECH-22 protective insert that protects the inside of the profile during mounting is available
- space for LED strip: 24.2 mm

Line of light

 \checkmark = Line of Light

X = Visible dotting

Profile:		HS/HS-12/HS-22 frosted	Liger/Liger-22	Liger-22	G-K / G- L frosted
----------	--	---------------------------	----------------	----------	--------------------------






KOZUS					
	1210	Х	Х	Х	1
	1220	Х	✓ (Hot line if 1 row)	Х	<i>√</i>
	1275	Х	\checkmark	Х	1
	0530	✓	\checkmark	✓	1
	1910	√	\checkmark	\checkmark	5
	1820	✓	\checkmark	<i>√</i>	1

AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
B7823NA_1	Non anodized (raw)	1000 mm
B7823NA_2	Non anodized (raw)	2000 mm
B7823NA_3	Non anodized (raw)	3000 mm

TECHNICAL DRAWING





RELATED PRODUCTS

COVERS

BLACK COVERS



LIGER-22 black Cover Ref: 17087

CLEAR COVERS





G-L clear Cover Ref: 17006

HS-22 clear Cover Ref: 17022

FROSTED COVERS



LIGER-22 frosted Cover Ref: 17032V1 110°







SEMI-TRANSPARENT COVERS





MUN-22 semitransparent Cover transparent Cover transparent Cover Ref: 17042

G-K semi-Ref: 00415 G-L semi-

Ref: 17008



END CAPS

REGULAR END CAPS



KOZUS grey End cap Ref: 24148

ACCESSORIES

COMPONENTS FOR CONNECTING PROFILES





L90PZ LIPOD

Coupler

Ref: _

X135 LIPOD Coupler Ref: _



ZM-NA-45 Connector Ref: 42339



ZM-NA-180 Connector Ref: 42724



L90PW LIPOD Coupler Ref: _



ZM-NA-135 Connector Ref: 42725



L135 LIPOD Coupler Ref: _



Connector

ZM-NA-PION-135

ZM-NA-PION-60

Connector

Ref: 42317

ZM-NA-120 Connector Ref: 42729



ZM-NA-90 Connector Ref: 42723

L135PZ LIPOD Coupler Ref: _



ZM-NA-PION-120 Connector Ref: 42321



L90 LIPOD Coupler Ref: _



Coupler Ref: _







L135PW LIPOD Coupler



Coupler

Ref:

T135R LIPOD Coupler Ref: _



T90 LIPOD Coupler Ref:





ZM-NA-PION-45 Connector Ref: 42315

SEALING COMPONENTS



Ref: 00802


ADDITIONAL ITEMS





MP-22 white Masking cover Ref: 17167L9010 protective insert

MP-22 Masking cover black Ref: 17167L9005



MP-22 metallized Masking cover Ref: 17167

LED TAPES

TECH-22

Ref: 17124

WHITE



LED strip K-1210-24V Ref: K-1210-24V



LED strip K-1220-12V Ref: K-1220-12V

LED strip	LED
K-1220-24V	Ref


a an fa an in an da an an an

Ref: K-1220-24V

D strip K-1275-12V Ref: K-1275-12V

խուփոնփուփոնփուփ







LED strip WP-

IP65-24V

K-1220-IP65-24V Ref: WP-K-1220-

LONG RUN



LED strip K-LR-1000-24V Ref: K-LR-1000-24V

RGB / RGB-W




-			
LED strip K-1275- RGB-24V Ref: K-1275-RGB-24V	LED strip K-1920- RGB+W-24V 19.2W/m Ref: K-1920- RGB+W-24V	LED strip WP-K-1275- RGB-12V Ref: WP-K-1275- RGB-12V	LED strip WP- K-1275-RGB-24V Ref: WP-K-1275- RGB-24V
	∑ี≉ แหรงกา∑ัส แรงการบุ∑ัส แรงก	Ennan Ennan Ennan	da :: • ⊗ :: • • • • : • • • • • • • • • •
LED strip WP-K-1920- RGB+W-24V Ref: WP-K-1920- RGB+W-24V	LED strip K-1530- RGB+W-24V Ref: K-1530- RGB+W-24V	LED strip WP-K-1530- RGB+W-24V Ref: WP-K-1530- RGB+W-24V	LED strip K-1215- RGB-12V Ref: K-1215- RGB-12V
हेत्र संस्थित् । स्थित् । स्थित् ।	[· · • ·] · · • ·] · · •	Ē·.·.	
LED strip K-1215- RGB-24V Ref: K-1215-RGB-24V	LED strip K-1225- RGB-12V Ref: K-1225- RGB-12V	LED strip K-1225- RGB-24V Ref: K-1225-RGB-24V	LED strip WP- K-1215-RGB-12V Ref: WP-K-1215- RGB-12V
100 m 4 m 4 m 4 m 4	(· · · · · · · · · · · ·		
LED strip WP-K-1215- RGB-24V Ref: WP-K-1215- RGB-24V	LED strip WP- K-1225-RGB-12V Ref: WP-K-1225- RGB-12V	LED strip WP-K-1225- RGB-24V Ref: WP-K-1225- RGB-24V	LED strip K-1920-120-RGB-24V 19.2W/m Ref: K-1920-120- RGB-24V



LED strip WP-K-1920-120-RGB-24V Ref: WP-K-1920-120-RGB-24V

TUNABLE WHITE / DIM TO WARM





LED strip WP-K-22/50-1728-24V Ref: WP-K-22/50-1728-24V

LED strip WP-V K-30/18-1770-24V Ref: WP-V K-3018-1770-24V

More accessories on our page www.klusdesign.eu