

PRODUCT DESCRIPTION

- Designed to reach an IP64 waterproof rating
- Ability to create a line of light
- Easy mounting using various techniques
- Can be combined in straight and broken linear runs

*Custom colors available upon request



Product nr.

Fixture type

Company

Job name

Date

TECHNICAL SPECIFICATION

Application

- surface mounted or suspended lighting fixtures

Mounting

- using surface springs
- using suspension accessories
- using mounting adhesive

Additional information

- possibility of making a linear fixture with IP64 protection, which means the fixture is dustproof and splashproof

- achieving IP64 is possible with the following covers: LIGER-22, MUN-22 and HS-22
- ability to construct polygonal fixtures using ZM connectors
- space for LED strip: 24.2 mm

Profile bending

Minimum internal radius	Minimum external radius
3000 mm	3000 mm

- minimum radius - bending radius which when exceeded causes destruction (deformation, bending or lack of compatibility with other accessories, e.g. covers, end caps, etc.) of the profile

- internal radius - refers to the profile bent so that the cover is facing the inside of the arch

- external radius - refers to the profile bent so that the cover is facing the outside of the arch





- irregular curves are possible after consultation and individual quotation

- when bending anodized profiles, one should be aware of cracking of the anode coating (which may be more or less visible depending on the radius)

Line of light

 \checkmark = Line of Light X = Visible dotting


Profile:	LED Model:	HS/HS-12/HS-22 frosted	Liger/Liger-22 frosted	Liger/ Liger-22 black	G-K / G- L frosted
LIPOD				-	
	1210	Х	Х	Х	1
	1220	\checkmark	√	1	1
	1275	\checkmark	√	1	1
	0530	✓	√	1	1
	1910	✓	\checkmark	1	1
	1820	✓	1	1	1

AVAILABLE LENGTHS


Ref. nr.	surface finish	available lengths
B5554ANODA_1	Silver anodized	1000 mm
B5554ANODA_2	Silver anodized	2000 mm
B5554ANODA_3	Silver anodized	3000 mm
B5554K7_1	Black anodized	1000 mm
B5554K7_2	Black anodized	2000 mm
B5554K7_3	Black anodized	3000 mm
B5554L9005NS_1	Black RAL	1000 mm
B5554L9005NS_2	Black RAL	2000 mm
B5554L9005NS_3	Black RAL	3000 mm


TECHNICAL DRAWING






LIPOD profile and AM-24 mounting bracket profil LIPOD z mocownikiem AM-24






LIPOD profile and REGIP-UV mounting bracket profil LIPOD z mocownikiem REGIP-UV




LIPOD profile and GIP mounting bracket profil LIPOD i mocownikiem GIP





LIPOD profile and REGIP-UV mounting bracket profil LIPOD z mocownikiem REGIP-UV



LIPOD profile and REGIP-UV mounting bracket profil LIPOD z mocownikiem REGIP-UV



RELATED PROFILES




Ref: C0399



TEKNIK-ZM Profile **TEKUS** Profile Ref: B6638V1

TEKUS-ZM Profile Ref: C1293



TEKNIK-ZM-TK Profile Ref: C1554



RELATED PRODUCTS

COVERS

BLACK COVERS



LIGER-22 black Cover Ref: 17087



CLEAR COVERS





G-K frosted Cover G-L frosted Cover Ref: 17007



Ref: 00413

SEMI-TRANSPARENT COVERS







MUN-22 semitransparent Cover Ref: 17042



Ref: 00415

G-L semitransparent Cover transparent Cover Ref: 17008





REGULAR END CAPS









LIPOD metalized End cap Ref: 24051

LIPOD grey End сар . Ref: 24004

LIPOD End cap Ref: 24263

LIPOD End cap Ref: 24283

ACCESSORIES

FASTENERS & MOUNTING ACCESSORIES



GIP Mounting REGIP-UV bracket



GIP-UV Mounting bracket Ref: 24310



GP Spring Ref: 00293





BZP-ZZ Head Ref: 42215



bracket Ref: 24235







BZP Head Ref: 42213



PUSZ-LIN-ZM Fastener black Ref: 42275L9005



FI-10-ZM-P Fastener Ref: 42244



FI-8-LIN-ZM Fastener silver Ref: 42285



FI-8-LIN-ZMZ

Ref: 42286

Fastener silver

Fastener silver Ref: 42276



PUSZ-LIN-ZM Fastener Fastener Ref: 42256 Ref: 42250



DP-ZZ Fastener DP-ZO Fastener Ref: 00651 Ref: 00649



UCHO-ZM Hanger Ref: 42512

TEKNIK Latch Ref: 24003

COMPONENTS FOR CONNECTING PROFILES



ZM-180 Connector Ref: 42717




Connector Ref: 42338





ZM-PION-60 Connector Ref: 42316



ZM-Y120-G Connector Ref: 42336



black Fastener

FI-10-ZM-W

Ref: 42242

Fastener

PUSZ-PRET-ZM PUSZ-LIN-ZM Fastener silver Ref: 42276L9005 Ref: 42275




FI-8-LIN-ZMZ Fastener black Ref: 42286L9005




FI-8-LIN-ZM Fastener black Ref: 42285L9005



DP Fastener Ref: 00644







ZM-X90-G Connector Ref: 42334



Ref: 42332

Connector

ZM-T45-G

Connector

Ref: 42324

ZM-120-G

Connector

Ref: 42308

X135 LIPOD

Coupler

Ref:

ZM-T60-G Connector Ref: 42326



ZM-135-G Connector Ref: 42310



L90 LIPOD Coupler Ref:



L135 LIPOD Coupler Ref:



ZM-90 Connector Ref: 42716




L135PZ LIPOD

Coupler

Ref: _

T135L LIPOD Coupler Ref:



ZM-X45-G Connector Ref: 42330



ZM-PION-120 Connector Ref: 42320



ZM-90-G Connector Ref: 42306



L90PZ LIPOD Coupler Ref:



L135PW LIPOD Coupler Ref: _



ZM-PION-90 Connector Ref: 42718



Coupler Ref:



ZM-T90-G

Connector

Ref: 42328

Ref: 42314



ZM-60-G Connector Ref: 42304



L90PW LIPOD Coupler Ref:



Ref: 42728









ZM-135 Connector Ref: 42720



Ref:

X90 LIPOD Coupler Ref: _



ZM-PION-135 Connector Ref: 42719



ZM-MINI-180 Connector Ref: 44501

MOUNTING SETS



W1 Fastener set Ref: 42602



M12 Fastener set Ref: 42610



RD-1 Fastener set black Ref: 42658L9005



RD-1 Fastener set white Ref: 42658L9010



W6 Fastener set

Ref: 42604

RG-1 Fastener set black Ref: 42647L9005



RD-1 Fastener set silver satin Ref: 42658GSS



ZM-150 Fastener Ref: 42118



RG-1 Fastener set silver Ref: 42647NI



RD-2 Fastener set silver Ref: 42653NI



ZM-500 Fastener Ref: 42119

M11 Fastener set

Ref: 42609



RD-1 Fastener set silver Ref: 42658NI





silver Ref: 42657NI







RD-2 Fastener set silver satin Ref: 42653GSS

RD-3 Fastener set

Ref: 42659L9005

black



RD-3 Fastener set white Ref: 42659L9010

RD-4 Fastener set black Ref: 42657L9005

RG-1 Fastener set silver satin Ref: 42647GSS

SEALING COMPONENTS



Ref: 42264

ISOLATING BASES





Fi-6 Isolating

Ref: 42205

bases

FI-3 Isolating bases Ref: 42203

Fi-5 Isolating bases Ref: 42204

ADDITIONAL ITEMS



MP-22 white Masking cover Ref: 17167L9010

MP-22 Masking

cover black Ref: 17167L9005




MP-22 metallized Masking cover Ref: 17167





WHITE



LONG RUN



LED strip K-LR-1000-24V Ref: K-LR-1000-24V



RGB / RGB-W


82 10 10 10 10 10 10 10 10 10 10			
LED strip K-1275- RGB-12V Ref: K-1275-RGB-12V	LED strip K-1275- RGB-24V Ref: K-1275- RGB-24V	LED strip WP-K-1275- RGB-12V Ref: WP-K-1275- RGB-12V	LED strip WP- K-1275-RGB-24V Ref: WP-K-1275- RGB-24V
	∄ุ่งสามารากุ≣ุ่งสามารากุ≣ุ่งสามาร	Jaanan Janaan Jaana	
LED strip WP-K-1920- RGB+W-24V Ref: WP-K-1920- RGB+W-24V	LED strip K-1530- RGB+W-24V Ref: K-1530- RGB+W-24V	LED strip WP-K-1530- RGB+W-24V Ref: WP-K-1530- RGB+W-24V	LED strip K-1215- RGB-12V Ref: K-1215- RGB-12V
^{ва} н т и т Филт и т		₹+•+• * *•••	
LED strip K-1215- RGB-24V Ref: K-1215-RGB-24V	LED strip K-1225- RGB-12V Ref: K-1225- RGB-12V	LED strip K-1225- RGB-24V Ref: K-1225-RGB-24V	LED strip WP- K-1215-RGB-12V Ref: WP-K-1215- RGB-12V
Ent n. (grat n.	1 · · · · 1 · · · · · · · · · · · · · ·		2 466324663246
LED strip WP-K-1215- RGB-24V Ref: WP-K-1215- RGB-24V	LED strip WP- K-1225-RGB-12V Ref: WP-K-1225- RGB-12V	LED strip WP-K-1225- RGB-24V Ref: WP-K-1225- RGB-24V	LED strip K-1920-120-RGB-24V 19.2W/m Ref: K-1920-120- RGB-24V



LED strip WP-K-1920-120-RGB-24V Ref: WP-K-1920-120-RGB-24V

TUNABLE WHITE / DIM TO WARM





Ref: K-27/65-1920-24V



LED strip WP-K-22/50-1728-24V Ref: WP-K-22/50-1728-24V LED strip WP-K-27/65-1920-24V Ref: WP-K-27/65-1920-24V

LED strip WP-K-30/18-1770-24V Ref: WP-K-3018-1770-24V

MARKETING MATERIALS



Display P230-90072M Ref: 90072M



Display P230-90154M Ref: 90154M



K-22/50-1728-24V

K-22/50-1728-24V

LED strip

Ref:

K-30/18-1770-24V

K-30/18-1770-24V

LED strip

Ref:

Display P230-90176M Ref: 90176M



Foam 70519 Ref: 70519